

# GENESIS



NEW SURFACES



NEW SIZES



# GENESIS LOFT

# GENESIS

60x120  
24"x48"  
RETT

shell

45x90  
18"x36"  
RETT

avana  
shell

30x60  
12"x24"  
RETT

avana  
lime  
moka  
shell

# GENESIS LOFT

60x120  
24"x48"  
RETT

blackmoon  
fossil  
mineral  
zinc

45x90  
18"x36"  
RETT

blackmoon  
fossil  
mineral  
zinc

30x60  
12"x24"  
RETT

atlantic  
blackmoon  
fossil  
mineral  
zinc

80x80  
32"x32"  
RETT

shell

60x60  
24"x24"  
RETT  
LAPP-RETT

avana  
lime  
moka  
shell

45x45  
18"x18"  
RETT

avana  
shell

30x30  
12"x12"  
RETT

avana moka  
lime shell

## NEW SURFACES



## NEW SIZES

80x80  
32"x32"  
RETT

blackmoon  
fossil  
mineral  
zinc

60x60  
24"x24"  
RETT  
LAPP-RETT

atlantic  
blackmoon  
fossil  
mineral  
zinc

45x45  
18"x18"  
RETT

blackmoon  
fossil  
mineral  
zinc

30x30  
12"x12"  
RETT

atlantic mineral  
blackmoon  
fossil zinc



# genesis

**Nella genesis risiede la vera essenza del cambiamento.**

The true essence of change lies in creation

Dans la genèse réside la véritable essence du changement

In der Schöpfung liegt die wahre Essenz der Veränderung

В генезисе заключается сущность изменения



moka 60x60 24"x24" rett . listello reflex 1,5x100 <sup>5</sup>/<sub>8</sub>x40" . mosaico Genesis shell 3x3 1<sup>13</sup>/<sub>16</sub>x1<sup>13</sup>/<sub>16</sub> rett



avana 30x60 12"x24" rett . moka 30x60 12"x24" rett



avana 60x60 24"x24" rett



avana



pavimento: lime 60x60 24"x24" rett 30x60 12"x24" rett 30x30 12"x12" rett . rivestimento: moka 30x60 12"x24" rett





lime moka



shell 80x80 32"x32" rett



shell 30x60 12"x24" rett 30x30 12"x12" rett



shell

. mosaico Genesis shell 3x3 1"13/16x1"13/16 rett . bacchetta vitre arancio 1x60 "3/8x24"



shell 60x120 24"x48" rett



modulare 14: shell 45x90 18"x36" rett



shell

45x45 18"x18" rett 60x60 24"x24" rett 30x60 12"x24" rett

# genesis



## shell



60x120 . 24"x48" RETT



45x90 . 18"x36" RETT



45x45 . 18"x18" RETT



MOSAICO GENESIS SHELL  
30x30 . 12"x12" RETT  
(tessera 3x3 - 1<sup>13/16</sup>x1<sup>13/16</sup>)



30x30 . 12"x12" RETT



60x60 . 24"x24" RETT  
60x60 . 24"x24" LAPP-RETT



80x80 . 32"x32" RETT



30x60 . 12"x24" RETT

## lime




60x60 . 24"x24" RETT



30x60 . 12"x24" RETT



30x30 . 12"x12" RETT



MOSAICO GENESIS LIME  
30x30 . 12"x12" RETT  
(tessera 3x3 - 1<sup>13/16</sup>x1<sup>13/16</sup>)

## avana



45x90 . 18"x36" RETT



MOSAICO GENESIS AVANA  
30x30 . 12"x12" RETT  
(tessera 3x3 - 1<sup>4</sup>/<sub>16</sub>x1<sup>4</sup>/<sub>16</sub>)



30x60 . 12"x24" RETT



45x45 . 18"x18" RETT



30x30 . 12"x12" RETT



60x60 . 24"x24" RETT

## moka



60x60 . 24"x24" RETT



30x60 . 12"x24" RETT



30x30 . 12"x12" RETT



MOSAICO GENESIS MOKA  
30x30 . 12"x12" RETT  
(tessera 3x3 - 1<sup>4</sup>/<sub>16</sub>x1<sup>4</sup>/<sub>16</sub>)

## decori


Decors . Décors . Dekore . Декоры

LISTELLO IRON  
1x100 . <sup>3</sup>/<sub>8</sub>x40"

LISTELLO REFLEX  
1,5x100 . <sup>5</sup>/<sub>8</sub>x40"

## pezzi speciali


Trims . Pièces Spéciales  
Formstücke . Специальные Изделия



BATTISCOPA  
8,5x80 . 3<sup>3</sup>/<sub>8</sub>x32" RETT


Disponibili nei colori:  
Available colors:  
Disponibles dans les couleurs:  
In den Farben lieferbar:  
Поставляется следующих цветов:

**Shell**



BATTISCOPA  
8x60 . 3<sup>3</sup>/<sub>16</sub>x24" RETT

Serie completa.  
Complete range.  
Série complète.  
Ganze Serie.  
Полная серия



STEP MOLATO  
30x60 . 12"x24" RETT

Serie completa.  
Complete range.  
Série complète.  
Ganze Serie.  
Полная серия

GRES PORCELLANATO SMALTATO COLORATO IN MASSA - ISO 13006 Bla GL					
GLAZED PORCELAIN STONEWARE WITH COLORED BODY - ISO 13006 Bla GL - GRÈS CÉRAMÉ ÉMAILLÉ COLORE DANS LA MASSE - ISO 13006 Bla GL					
GLASIERTES FEINSTEINZEUG IN DER MASSE GEFÄRBT - ISO 13006 Bla GL - ГЛАЗУРОВАННЫЙ КЕРАМОГРАНИТ, ОКРАШЕННЫЙ ПО ВСЕЙ ТОЛОЩИНЕ - ISO 13006 Bla GL					
	Caratteristiche Tecniche Technical characteristics / Caractéristiques techniques Technische Daten / Технические характеристики	Valore prescritto Standard requirement / Valeur prescrite Geforderte Werte / Требуемое значение	Valore medio / Mean value / Valeur moyenne Mittelwert / Среднее значение Genesis - Genesis Loft		
	Lunghezza e larghezza Length and width Longueur et largeur Länge und Breite Длина и ширина	Deviaz. val. medio % rispetto a dimens. di fabbricazione Écart dimensionnel moyen en % par rapport aux dimensions de fabrication Deviation of the average size for each tile from the work size (%) Abweichung des Durchschnittswertes in % hinsichtlich der Produktionsgröße Отклонение средн. значения, %, от производственных размеров > 410 cm <sup>2</sup> +/- 0,6% - ≤ 410 cm <sup>2</sup> +/- 0,75%	+/- 0,3%		
		Deviaz. val. medio % rispetto a dimens. di fabbricazione Deviation of the average size for each tile from the average size to the 10 test specimens (%) Écart de valeur moyenne unitaire % en rapport à la valeur moyenne de 10 échantillons mesurés Abweichung des Durchschnittswertes der einzelnen Fliesen in % hinsichtlich des Durchschnitts von 10 getesteten Mustern Отклонение средн. значения отдельной плитки относительно средн. значения 10 измеренных образцов +/- 0,5%	+/- 0,3%		
	Rettilineità degli spigoli / Straightness of sides Rectitude des arrêtes / Kantengeradheit Прямолинейность кромок	+/- 0,5%	+/- 0,2%		
	Spessore / Thickness / Epaisseur / Stärke / Толщина	+/- 5%	+/- 2%		
	Ortogonalità / Rectangularity / Orthogonalité Rechtwinkligkeit / Ортогональность	+/- 0,5%	+/- 0,2%		
	Variazioni di tono. Shade variations. Variations de nuance. Tonvariationen. Вариации оттенка	GENESIS LIEVE VARIAZIONE SLIGHT VARIATION LEGERE VARIATION GERINGE ABWEICHUNG ЛЕГКОЕ ИЗМЕНЕНИЕ			
		GENESIS LOFT MODERATA VARIAZIONE MODERATE VARIATION VARIATION MODERÉE MÄSSIGE ABWEICHUNG УМЕРЕННОЕ ИЗМЕНЕНИЕ			
	Assorbimento d'acqua / Water absorption / Absorption d'eau Wasseraufnahme / Водопоглощение	≤ 0,5% GRUPPO Bla GL	0,05%		
	Resistenza a flessione e forza di rottura Modulus of rupture and breaking strength résistance à la flexion et force de rupture Biegefestigkeit und Bruchlast Прочность на изгиб Модуль жесткости	S ≥ 1300 N	S ≥ 1300 N		
		R ≥ 35 N/mm <sup>2</sup>	R ≥ 35 N/mm <sup>2</sup>		
	Resistenza alla abrasione della superficie di piastrelle smaltate Resistance to surface abrasion of glazed tiles Résistance à l'abrasion de la surface des carreaux émaillés Widerstand gegen Abrieb der Oberfläche der glasierten Fliesen Стойкость глазурованной плитки к поверхностному истиранию	—	Classe 4 Class 4 Classe 4 Gruppe 4 Класс 4		
	Coefficiente di dilatazione termica lineare Linear thermal expansion coefficient Dilatation thermique linéaire Lineare Wärmeausdehnung Коэффициент линейного теплового расширения	—	6,9x10 <sup>-6</sup> °C <sup>-1</sup>		
	Resistenza allo shock termico Thermal shock resistance Résistance au choc thermique Temperaturwechselbeständigkeit Стойкость к тепловым перепадам	Nessun campione deve presentare alterazioni No sample must show visible alteration Aucun carreau ne doit présenter d'altération Kein Muster darf sichtbare Veränderungen zeigen Никакой образец не должен показывать изменений	Resistente Resistant Résistant Widerstandsfähig Устойчивый		
	Resistenza al gelo Frost resistance Résistance au gel Frostbeständigkeit Морозостойкость	Non devono presentare difetti visibili No sample must show visible defect Aucun carreau ne doit présenter de défaut Muster dürfen keine sichtbaren Schäden zeigen Не должны обнаруживать видимые дефекты	Ingelivo Frost proof Ingelif Frostsicher Морозостойкость		
	Resistenza all'attacco chimico (tranne acido fluoridrico) Resistance to chemical attack (except hydrofluoric acid) Résistance à l'attaque chimique (sauf acide fluoridrique) Säure- und Laugenbeständigkeit (außer Flußsäure) Стойкость к бытовым химикатам	Nessun campione deve presentare alterazioni No sample must show visible alteration Aucun carreau ne doit présenter d'altération Muster dürfen keine sichtbaren Veränderungen zeigen Никакой образец не должен показывать изменений	Classe GA - GLA Class GA - GLA Classe GA - GLA Gruppe GA - GLA Класс GA - GLA		
	Resistenza alle macchie Resistance to stains Résistance aux taches Widerstand gegen Fleckenbildner Стойкость к образованию пятен	Nessun campione deve presentare alterazioni No sample must show visible alteration Aucun carreau ne doit présenter d'altération Muster dürfen keine sichtbaren Veränderungen zeigen Никакой образец не должен показывать изменений	Classe 4 Class 4 Classe 4 Gruppe 4 Класс 4		
	Resistenza dei colori alla luce Color resistance to light Résistance des couleurs à la lumière Lichtbeständigkeit Цветостойкость	Non devono presentare apprezzabili variazioni di colore No notable color change Ne doivent pas présenter variations importantes des couleurs Muster dürfen keine sichtbaren Farbveränderungen zeigen Не должны обнаруживать заметные цветовые изменения	Nessuna alterazione No alteration Aucune altération Keine Veränderung Изменений нет		
	Resistenza alla scivolosità. Coefficiente di attrito medio Skid resistance. Average coefficient of friction Résistance au glissement. Coefficient de frottement moyen Rutschfestigkeit. Mittlerer Reibungswert Соппротивление скольжению. Средний коэффициент трения	B.C.R.A. REP. CEC. 6/81	0,40 ≤ $f^M$ ≤ 0,74	R11: $f^M$ ≥ 0,74	
		DIN 51130 ≥ R 9	R10		
		DIN 51097	Classe C Class C Classe C Gruppe C Класс C		
		DIN 51130 ≥ R 9	R10 - R11		
		ASTM C1028	$f^M$ ≥ 0,60 dry $f^M$ ≥ 0,60 wet	R11: $f^M$ ≥ 0,70 dry $f^M$ ≥ 0,70 wet	
		DCOF	$f^M$ ≥ 0,42		





**Casalgrande:** Via A. Volta 23/25 - 42013 Casalgrande (RE) Italy Tel. +39-0522-998411 - Fax Italy 841338 - Fax Export 996218  
**Filo di Alfonsine:** Via Antonellini 70 - 48011 Filo di Alfonsine (RA) Italy - Tel. +39-0532-802811 - Fax 802888  
[www.cercomceramiche.it](http://www.cercomceramiche.it) - [cercom@cercomceramiche.it](mailto:cercom@cercomceramiche.it)  
**Serenissima Cir Industrie Ceramiche spa**  
Società Unipersonale  
[www.serenissimacir.com](http://www.serenissimacir.com)

SERENISSIMA CIR  
INDUSTRIES CERAMICHE

**DAL 1975**